

Surface	Model	BBD Sku
<i>Brushed Stainless Steel</i>	AVA_T15 Stainless Steel 1000x500mm	AVA-PURAD-1050-SSB
<i>Polished Stainless Steel</i>	AVA_T15 Stainless Steel 1000x500mm	AVA-PURAD-1050-PSS
<i>Brushed Brass</i>	AVA_T15 Stainless Steel 1000x500mm	AVA-PURAD-1050-BBR
<i>Black</i>	AVA_T15 Stainless Steel 1000x500mm	AVA-PURAD-1050-BLK
<i>Brushed Stainless Steel</i>	Kashmir 1200x500	AVA-TRLR-1250-SSB
<i>Polished Stainless Steel</i>	Kashmir 1200x500	AVA-TRLR-1250-PSS
<i>Brushed Brass</i>	Kashmir 1200x500	AVA-TRLR-1250-BBR
<i>Black</i>	Kashmir 1200x500	AVA-TRLR-1250-BLK
<i>Brushed Stainless Steel</i>	Kashmir 800x500	AVA-TRLR-8050-SSB
<i>Polished Stainless Steel</i>	Kashmir 800x500	AVA-TRLR-8050-PSS
<i>Brushed Brass</i>	Kashmir 800x500	AVA-TRLR-8050-BBR
<i>Black</i>	Kashmir 800x500	AVA-TRLR-8050-BLK
<i>Brushed Stainless Steel</i>	Trend Frame 1000x500	AVA-FRAM-1050-SSB
<i>Polished Stainless Steel</i>	Trend Frame 1000x500	AVA-FRAM-1050-PSS
<i>Brushed Brass</i>	Trend Frame 1000x500	AVA-FRAM-1050-BBR
<i>Black</i>	Trend Frame 1000x500	AVA-FRAM-1050-BLK
<i>Brushed Stainless Steel</i>	Trend Frame 1500x500	AVA-FRAM-1550-SSB
<i>Polished Stainless Steel</i>	Trend Frame 1500x500	AVA-FRAM-1550-PSS
<i>Brushed Brass</i>	Trend Frame 1500x500	AVA-FRAM-1550-BBR
<i>Black</i>	Trend Frame 1500x500	AVA-FRAM-1550-BLK

BBD Name	Range	Slice Qty
AVA Purity 1000 x 500mm Brushed Stainless Steel Towel Rail	Purity	8
AVA Purity 1000 x 500mm Polished Stainless Steel Towel Rail	Purity	8
AVA Purity 1000 x 500mm Brushed Brass PVD Stainless Steel Towel Rail	Purity	8
AVA Purity 1000 x 500mm Matt Black Stainless Steel Towel Rail	Purity	8
AVA Trend Ladder 1200 x 500mm Brushed Stainless Steel Towel Rail	Trend Ladder	16
AVA Trend Ladder 1200 x 500mm Polished Stainless Steel Towel Rail	Trend Ladder	16
AVA Trend Ladder 1200 x 500mm Brushed Brass PVD Stainless Steel Towel Rail	Trend Ladder	16
AVA Trend Ladder 1200 x 500mm Matt Black Stainless Steel Towel Rail	Trend Ladder	16
AVA Trend Ladder 800 x 500mm Brushed Stainless Steel Towel Rail	Trend Ladder	9
AVA Trend Ladder 800 x 500mm Polished Stainless Steel Towel Rail	Trend Ladder	9
AVA Trend Ladder 800 x 500mm Brushed Brass PVD Stainless Steel Towel Rail	Trend Ladder	9
AVA Trend Ladder 800 x 500mm Matt Black Stainless Steel Towel Rail	Trend Ladder	9
AVA Frame 1000 x 500mm Brushed Stainless Steel Towel Rail	Frame	10
AVA Frame 1000 x 500mm Polished Stainless Steel Towel Rail	Frame	10
AVA Frame 1000 x 500mm Brushed Brass PVD Stainless Steel Towel Rail	Frame	10
AVA Frame 1000 x 500mm Matt Black Stainless Steel Towel Rail	Frame	10
AVA Frame 1500 x 500mm Brushed Stainless Steel Towel Rail	Frame	15
AVA Frame 1500 x 500mm Polished Stainless Steel Towel Rail	Frame	15
AVA Frame 1500 x 500mm Brushed Brass PVD Stainless Steel Towel Rail	Frame	15
AVA Frame 1500 x 500mm Matt Black Stainless Steel Towel Rail	Frame	15

Profile	Collector		EAN Code	GTIN Number	Product Gurantee Length	Height (mm)	Width (mm)
Ø32x1,5	40x30x2			7322.19.00.00.11	10 years	1000	500
Ø32x1,5	40x30x2			7322.19.00.00.11	10 years	1000	500
Ø32x1,5	40x30x2			7322.19.00.00.11	10 years	1000	500
Ø32x1,5	40x30x2			7322.19.00.00.11	10 years	1000	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1200	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1200	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1200	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1200	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	800	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	800	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	800	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	800	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1000	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1000	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1000	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1000	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1500	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1500	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1500	500
Ø19x1,5	Ø32x2			7322.19.00.00.11	10 years	1500	500

Depth (mm)	Projection from Wall to back (i)	Product Weight (kg)	Compatibility / Installation Type / Mounting Type (i)	Orientation (i)	Fixing Kit Included (i)
62	40-60 mm	9.5	wall mounted		yes
62	40-60 mm	9.5	wall mounted		yes
62	40-60 mm	9.5	wall mounted		yes
62	40-60 mm	9.5	wall mounted		yes
32	40-60 mm	8.5	wall mounted		yes
32	40-60 mm	8.5	wall mounted		yes
32	40-60 mm	8.5	wall mounted		yes
32	40-60 mm	8.5	wall mounted		yes
32	40-60 mm	5.5	wall mounted		yes
32	40-60 mm	5.5	wall mounted		yes
32	40-60 mm	5.5	wall mounted		yes
32	40-60 mm	5.5	wall mounted		yes
32	40-60 mm		wall mounted		yes
32	40-60 mm		wall mounted		yes
32	40-60 mm		wall mounted		yes
32	40-60 mm		wall mounted		yes
32	40-60 mm		wall mounted		yes
32	40-60 mm		wall mounted		yes
32	40-60 mm		wall mounted		yes
32	40-60 mm		wall mounted		yes

Suitable for Electrical Element Installation (i)	Suitable for Dual Fuel Installation (i)	Heat Output Wattage (w) (i)	Heat Output BTU at 50 Degrees (i)	Heat Output BTU at 60 Degrees (i)
yes	yes	216	736	935
yes	yes	216	736	935
yes	yes	216	736	935
yes	yes	216	736	935
yes	yes	282	962	1222
yes	yes	282	962	1222
yes	yes	282	962	1222
yes	yes	282	962	1222
yes	yes	167	570	724
yes	yes	167	570	724
yes	yes	167	570	724
yes	yes	167	570	724
yes	yes	202	689	876
yes	yes	202	689	876
yes	yes	202	689	876
yes	yes	202	689	876
yes	yes	300	1024	1300
yes	yes	300	1024	1300
yes	yes	300	1024	1300
yes	yes	300	1024	1300

Heat Output BTU at 70 Degrees (i)	Minimum Installation Depth (mm)	Pipe Centres (mm) (i)	Electrical Power Rating	Sound Pressure Level
1141		50		
1141		50		
1141		50		
1141		50		
1492		468		
1492		468		
1492		468		
1492		468		
884		468		
884		468		
884		468		
884		468		
1071		468		
1071		468		
1071		468		
1071		468		
1591		468		
1591		468		
1591		468		
1591		468		

[illegible]

[illegible]